Reg. No.				

# THIRD YEAR B.Sc. N.M.T. DEGREE EXAMINATION – DECEMBER 2015 SUBJECT: IMMUNOLOGY, RADIOIMMUNOASSAY AND COUNTING STATISTICS

Tuesday, December 15, 2015

Time: 10:00-13:00 Hrs.

Max. Marks: 80

- Answer ALL the questions.
- Use same answer book for Section 'A' & Section 'B' and use separate answer book for Section 'C'.

#### SECTION - A: IMMUNOLOGY

1. Write about the Antigens and Antibodies. Draw a labeled neat diagram to show the parts of antibody and their function.

(10 marks)

- 2. Write short notes on:
- 2A. Autoimmunity
- 2B. Types of Hypersensitivity

(5+5 = 10 marks)

#### SECTION - B: RADIOIMMUNOASSAY

- 3. Write a note on followings:
- 3A. Compare RIA and IRMA
- 3B. Plot different types of standard curve and its importance
- 3C. Quality control parameters for RIA
- 3D. Importance of Precision Profile in RIA
- 3E. Setting up of typical RIA assay

 $(10 \text{ marks} \times 5 = 50 \text{ marks})$ 

### SECTION - C: COUNTING STATISTICS

- 1A. Explain the Effects of background in counting experiment.
- 1B. As an experiment, calculate the ratio of two source activity from independent counts taken for equal counting times (background is negligible).

Counts from Source 1 = 16265, counts from source 2 = 8192

 $(5 \text{ marks} \times 2 = 10 \text{ marks})$ 

						Section 1	P 100 C. O.	
TA DI			1		1	1		
Keg. No.		110	1		1			
2.0	1		1					

## THIRD YEAR B.Sc. N.M.T. DEGREE EXAMINATION – DECEMBER 2015 SUBJECT: RADIATION BIOLOGY AND IN VITRO NUCLEAR MEDICINE

Wednesday, December 16, 2015

Time: 10:00-13:00 Hrs.

Max. Marks: 80

#### Answer ALL the questions:

#### SECTION A: RADIATION BIOLOGY (30 MARKS)

- 1. Short notes:
- 1A. Dose response models
- 1B. LD 50/60
- 1C. Hydrolysis of water
- 1D. Double and single strand break
- 1E. Hematologic Syndrome

 $(6 \text{ marks} \times 5 = 30 \text{ marks})$ 

#### SECTION B: IN VITRO NUCLEAR MEDICINE (50 MARKS)

- 2. Short notes:
- 2A. Dual isotope technique for Schilling's Test
- 2B. Red cell survival radioisotope technique
- 2C. Plasma iron clearance
- 2D. Tracer and Ligand in RIA
- 2E. Red cell mass estimation radioisotope technique

 $(6 \text{ marks} \times 5 = 30 \text{ marks})$ 

3. What is radiorespirometry? With a neat and labeled diagram, briefly explain radiorespirometric procedure.

(20 marks)

Reg. No.
----------

## THIRD YEAR B.Sc. N.M.T. DEGREE EXAMINATION – DECEMBER 2015 SUBJECT: RADIOPHARMACY – II

Thursday, December 17, 2015

Time: 10:00-11:30 Hrs.

Max. Marks: 40

#### Answer ALL questions.

- 1. Write in short about the following:
- 1A. Production and characteristics of I-131.
- 1B. Labeling of 99mTc-Leukocytes
- 1C. Chloramine -T Radio iodination method
- 1D. Bone Palliative agents

 $(5 \text{ marks} \times 4 = 20 \text{ marks})$ 

- 2. Describe mechanism of localization of following radiopharmaceuticals:
- 2A. 99mTc-DTPA for Brain Imaging
- 2B. 99mTc-IDA for hepatobiliary
- 2C. I-131 in Thyroid
- 2D. 99mTc-Sulphur colloid
- 2E. Thallium-201 for MPI

(10 marks)

3. Write down the steps to reconstitute the Sulphur colloid kit labeled with 99mTc to be used for liver scan supplied by BRIT in hospital radio pharmacy. Write reactions involved in the formation of 99mTc-sulphur Colloid. What are the precautions to be taken during reconstitution?

(10 marks)



## THIRD YEAR B.Sc. N.M.T. DEGREE EXAMINATION – DECEMBER 2015 SUBJECT: NUCLEAR MEDICINE INSTRUMENTATION

Friday, December 18, 2015

Time: 10:00-13:00 Hrs.

Max. Marks: 80

- Answer ALL questions.
- ✓ Draw neat and labelled diagrams/circuits as and when required.
- 1. Explain on PET detectors and scanner designs.

(20 marks)

2. Explain on the attenuation correction techniques adopted in Nuclear Medicine Imaging.

(20 marks)

- 3. Where and why coincidence and anti-coincidence circuits are used in Nuclear Medicine? (10 marks)
- 4. "Gamma camera's QC tests are sufficient enough to ensure good working of SPECT system". Opine on the above given statement.

(10 marks)

- 5. Write short note on the following:
- 5A. Nyquist frequency
- 5B. Normalization
- 5C. Sample preparation in LS counting
- 5D. Flat field collimator

 $(5 \text{ marks} \times 4 = 20 \text{ marks})$