Reg. No.						
----------	--	--	--	--	--	--



## II SEMESTER, MCA MAKE-UP EXAMINATIONS, JUNE/JULY 2018

## SUBJECT: WEB PROGRAMMING [MCA 4203] REVISED CREDIT SYSTEM

( /0 /2018)

Time: 3 Hours MAX. MARKS: 50

## **Instructions to Candidates:**

- ❖ Answer **ALL FIVE FULL** questions.
- ❖ Assume the missing details and mention it.

1A.	Illustrate the neat diagram	e request-response mechanism between client and server, with the help of a n.	5
1B.	Explain the	process of defining asynchronous request to the server using AJAX.	3
1C.	Show the us	age of HTML Ordered list element with its two properties type and start.	2
2A.	Apply the fo	ollowing definition in style sheets with examples	5
	a.	Tag-based selector	
	b.	Class selector	
	c.	Anonymous class selector	
	d.	Id based selector	
	e.	Pseudo-class selector	
2B.	element dyr	TML DOM and JavaScript, write a web program to create a HTML paragraph namically showing text "Manipal Institute of Technology" on a button click, color as "red" and text aligned center.	3
2C.	Discuss the	design issues to be addressed when creating a HTML form.	2

MCA 4203 Page 1 of 2

PD	Write the HTML gode enn	lving the fell	ovvina tabla atmiai				3	
3B.	Write the HTML code applying the following table structure.							
	Fig 3.0 Camels and Llamas							
			Camelid comparison					
			Approximate as of 6/2011					
		# of humps	Indigenous region	Spits?	Produces wool?			
	Camels (bactrian)	2	Africa/Asia	Yes	Yes			
	Llamas	1	Andes Mountains	Yes	Yes			
						_		
<u>C.</u>	How to define JavaScript b	ased error ha	ndling using oner	ror attr	ribute of HTML	_element?	1	
	C '1 TITOMIC	1.1 1			1 1	1' 1	$\vdash$	
A.	Consider a HTML form w		=		=		:	
A.	to accept gender informa	ntion male o	or female. Write	JavaS	Script function	to apply		
<b>A.</b>		ntion male o	or female. Write	JavaS	Script function	to apply	:	
Α.	to accept gender information validations on form inputs	ntion male of on submit bu	or female. Write atton click for the	JavaS follow	Script function ring conditions:	to apply	4	
A.	to accept gender information validations on form inputs  a. The first letter of	ntion male on submit but of the user-na	or female. Write atton click for the to be upper-ca	JavaS follow	Script function ring conditions:	to apply	4	
<b>A.</b>	to accept gender information validations on form inputs  a. The first letter of the b. The password second	on submit but of the user-nathould be four	or female. Write atton click for the to be upper-ca	JavaS follow ase alp	Script function ring conditions:	to apply	:	
	to accept gender information validations on form inputs  a. The first letter of the b. The password second	on submit but of the user-nathould be fout der radio but	or female. Write atton click for the ame to be upper-car-digit number ton should be che	JavaS follow ase alp cked.	Script function ing conditions:	to apply		
В.	to accept gender informate validations on form inputs  a. The first letter of the b. The password second of general ways and the best of the password of the p	on submit but of the user-nathould be four der radio but splays digital	or female. Write atton click for the arme to be upper-car-digit number ton should be che clock, using the	JavaS follow ase alp cked. JavaSo	Script function ring conditions: habet.	to apply		
В.	to accept gender informate validations on form inputs  a. The first letter of the b. The password second of general contents of the password second of the passw	on submit but of the user-nathould be four der radio but splays digital	or female. Write atton click for the arme to be upper-car-digit number ton should be che clock, using the	JavaS follow ase alp cked. JavaSo	Script function ring conditions: habet.	to apply		
В. С.	to accept gender informate validations on form inputs  a. The first letter of the b. The password seconds of the control of th	on submit but of the user-nathould be founded and under radio but splays digital.	or female. Write atton click for the atton click for the ame to be upper-car-digit number ton should be che clock, using the EFINED data type	JavaS follow ase alp cked. JavaSo e in Ja	Script function ring conditions: habet.  cript timeout every vaScript.	to apply		
В. С.	to accept gender informate validations on form inputs  a. The first letter of the bound of the password of the password of the control of the password of the	on submit but of the user-nathould be founded but splays digital.  LL and UND	or female. Write atton click for the atton click for the arme to be upper-car-digit number ton should be che clock, using the EFINED data type word, date-of-birth	JavaS follow ase alp cked. JavaSo e in Ja	Script function ring conditions: what the cript timeout ever a value of the cript timeout ever a value of the cript.	vent.		
В. С.	to accept gender informate validations on form inputs  a. The first letter of the b. The password seconds of the control of th	on submit but of the user-na hould be founder radio but splays digital.  LL and UNDI	or female. Write atton click for the atton click for the ame to be upper-cardigit number ton should be che clock, using the EFINED data type ord, date-of-birth details to data tab	JavaS follow ase alp cked. JavaSc e in Ja n, phorole "Us	Script function ring conditions: what the cript timeout evanceript timeout evanceript.	vent.  email ID. database		
B. C. A.	to accept gender informate validations on form inputs  a. The first letter of the bound of the password second of the password	on submit but of the user-nathould be founded by the splays digital of the user of the user of that data table on submit to the user of that data table on submit to the user of that data table on submit to the user of the	or female. Write atton click for the atton click for the atton click for the are to be upper-car-digit number ton should be che clock, using the EFINED data type word, date-of-birth details to data table is already created.	JavaS follow ase alp cked. JavaSc e in Ja n, phorole "Used with	Script function ring conditions: what the conditions conditions: what the cript timeout every ascript.  The number and ser" in MySQL in necessary met	vent. email ID. database ta-data.		
B. C. A.	to accept gender informate validations on form inputs  a. The first letter of the bound of the password of the	on submit but of the user-nathould be founded by the splays digital of the user of the user of that data table on submit to the user of that data table on submit to the user of that data table on submit to the user of the	or female. Write atton click for the atton click for the atton click for the are to be upper-car-digit number ton should be che clock, using the EFINED data type word, date-of-birth details to data table is already created.	JavaS follow ase alp cked. JavaSc e in Ja n, phorole "Used with	Script function ring conditions: what the conditions conditions: what the cript timeout every ascript.  The number and ser" in MySQL in necessary met	vent. email ID. database ta-data.		
B. C. B.	to accept gender informate validations on form inputs  a. The first letter of the bound of general sections of general sections. Any one of general sections which disconnected between NUI consider user details: user write a PHP block to instrument of the page which disconnected between NUI consider user details: user write a PHP block to instrument of the page which disconnected between NUI consider user details: user write a PHP block to instrument of the page with the pag	on submit but of the user-na hould be founder radio but splays digital LL and UNDI mame, passwert the user of that data table upload file to	or female. Write atton click for the atton click for the atton click for the area to be upper-cardigit number ton should be che click, using the EFINED data type word, date-of-birth details to data table is already created server file system.	JavaS follow ase alp cked. JavaSc e in Ja n, phorole "Used with	Script function ring conditions: what the conditions conditions: what the cript timeout every ascript.  The number and ser" in MySQL in necessary met	vent. email ID. database ta-data.		
B. C. A.	to accept gender informate validations on form inputs  a. The first letter of the bound of the password of the	on submit but of the user-na hould be founder radio but splays digital. L. and UND rname, passwert the user of that data table upload file to bading should be considered to the user of t	or female. Write atton click for the atton click for the atton click for the atton to be upper-cardigit number ton should be che click, using the EFINED data type word, date-of-birth details to data table is already created server file system.	JavaS follow ase alp cked. JavaSc e in Ja n, phorole "Used with	Script function ring conditions: what the conditions conditions: what the cript timeout every ascript.  The number and ser" in MySQL in necessary met	vent. email ID. database ta-data.		
B. C. A.	to accept gender informate validations on form inputs  a. The first letter of b. The password soc. Any one of gen  Write a web page which did bifferentiate between NUI  Consider user details: user write a PHP block to insonamely "myDB". Assume Write a web application to restrictions:  • File chosen for uple	on submit but of the user-na hould be founder radio but splays digital. L and UNDI mame, passwert the user of that data table upload file to bading should less than 1 Mercent and 1 Mer	or female. Write atton click for the atton click for the atton click for the atton to be upper-cardigit number ton should be che click, using the EFINED data type word, date-of-birth details to data table is already created server file system dispersed be text file IB	JavaS follow ase alp cked. JavaSc e in Ja n, phorole "Us ed with n using	Script function ring conditions: what the conditions conditions: what the cript timeout every ascript.  The number and ser" in MySQL in necessary met	vent. email ID. database ta-data.		

MCA 4203 Page 2 of 2