## II SEMESTER B.TECH GRADEIMPROVEMENT/MAKEUP EXAMINATION

## AUGUST-SEPTEMEBR 2020-21

SUBJECT: ENGINEERING MATHEMATICS [MAT-1251]

## REVISED CREDIT SYSTEM (23/08/2021)

Time: 2 hrs. Max. Marks: 40

## Instructions to Candidates:

- Answer ANY FOUR FULL questions & missing data may be suitably assumed.
- 1A. Expand  $e^{sinx}$  in ascending powers of x upto and including the term in  $x^4$ .
- 1B. Evaluate  $\iint_R xy \, dxdy$ , where R is the triangular region with vertices (0,0), (2,2) and (0,3).
- 1C. Find the Laplace transform of

$$f(t) = \begin{cases} Sin t & ; t \le \pi \\ 1 & ; \pi \le t \le 2\pi \\ Cos t & ; t \ge 2\pi \end{cases}$$
 (3+3+4)

- 2A. If *n* is a positive integer, then prove that  $\Gamma\left(n+\frac{1}{2}\right) = \frac{\Gamma(2n+1)\sqrt{\pi}}{2^{2n}\Gamma(n+1)}$ .
- 2B. Evaluate  $\lim_{x \to a} \left( \frac{1}{x-a} \frac{1}{\ln(x+1-a)} \right)$ .
- 2C. A rectangular box open at the top is to have its volume equal to  $4m^3$ . Find its dimensions if the area of the sheet metal used for making it is minimum. (3+3+4)
- 3A. Find the Laplace transform of

(i) 
$$t^2 e^{-3t} \sin 2t$$
 (ii)  $\frac{e^{at} - \cos bt}{t}$ 

- 3B. Verify Cauchy's mean value theorem for  $f(x) = x^2$ ,  $g(x) = x^3$  on the interval [1, 2].
- 3C. Find the volume of the ellipsoid  $\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$  using Cartesian co-ordinates.

- 4A. Expand  $f(x, y) = \sin(xy)$  in powers of (x 1) and  $(y \pi/2)$  upto second degree.
- 4B. Find the Laplace transform of the triangular wave given by

$$f(t) = \begin{cases} t & ; 0 < t < a \\ 2a - t & ; 0 < t < 2a \end{cases}$$
  $f(t + 2a) = f(t)$ .

4C. Change the order of integration and hence evaluate  $\int_0^1 \int_0^{\sqrt{2-x^2}} \frac{x}{\sqrt{x^2+y^2}} dy dx$ .

(3+3+4)

- 5A. Find the inverse transform of  $\ln \left( \frac{s^2 + 1}{s(s+1)} \right) + \frac{s}{s^2 + 4s + 3}$
- 5B. Evaluate  $\int_0^1 \int_0^{1-x} \sqrt{x+y} (y-x)^2 dxdy$  using the transformation x+y=u, y-x=v.
- 5C. Using Laplace transform solve y'' 2y' 3y = Sin t given that y(0) = y'(0) = 0.

  (3+3+4)

6A. If 
$$u = cosec^{-1} \sqrt{\frac{x^{\frac{1}{2} + y^{\frac{1}{2}}}}{x^{\frac{1}{3} + y^{\frac{1}{3}}}}}$$
  
show that  $x^2 \frac{\partial^2 u}{\partial x^2} + 2xy \frac{\partial^2 u}{\partial x \partial y} + y^2 \frac{\partial^2 u}{\partial y^2} = \frac{tanu}{144} (13 + tan^2 u)$ .

- 6B. If  $z = \sqrt{x^3 y^3}$  and  $x^3 + y^3 + 3axy = 0$ , find the value of  $\frac{dz}{dx}$  when x = a and y = -2a.
- 6C. Find the equation of the sphere which passes through the circle

$$x^2 + y^2 + z^2 - 4x - y + 3z + 12 = 0$$
,  $2x + 3y - 7z = 10 = 0$  and touch the plane  $x - 2y + 2z = 1$ . (3+3+4)

\*\*\*\*